

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO. : 7,888,090
APPLICATION NO. : 10/591,159
ISSUE DATE : February 15, 2011
INVENTOR(S) : Jan Barnikow et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

At column 21, line number 29, change "□" to --μ--

At column 21, line number 35, change "□" to --μ--

At column 21, line number 37, change "□" to --μ--

At column 21, line number 42, change "□" to --μ--

At column 21, line number 63, change "□M" to --μM-- and "□" to --β--

At column 21, line number 64, change "□" to --μ--

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted via the Office electronic filing system in accordance with 37 CFR § 1.6(a)(4).

Dated: October 28, 2011

Electronic Signature for Harriet M. Strimpel, D.Phil.: /Harriet M. Strimpel, D.Phil./

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Harriet M. Strimpel, D.Phil.
NEW ENGLAND BIOLABS, INC
240 County Road
Ipswich, Massachusetts 01938

1

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 2 of 2

PATENT NO. : 7,888,090
APPLICATION NO. : 10/591,159
ISSUE DATE : February 15, 2011
INVENTOR(S) : Jan Barnikow et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

At column 21, line number 29, change "□" to --μ--

At column 21, line number 35, change "□" to --μ--

At column 21, line number 37, change "□" to --μ--

At column 21, line number 42, change "□" to --μ--

At column 21, line number 63, change "□M" to --μM-- and "□" to --β--

At column 21, line number 64, change "□" to --μ--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Harriet M. Strimpel, D.Phil.
NEW ENGLAND BIOLABS, INC
240 County Road
Ipswich, Massachusetts 01938